


PÅ VEGG



| Type | 1-rad 18 mod | 2-rad 36 mod | 3-rad 54mod | 4-rad 72mod | | 2-rad 36mod IKT | 3-rad 54mod IKT | 4-rad 72mod IKT | 5-rad 90mod IKT |
|--------|--------------|--------------|-------------|-------------|--|-----------------|-----------------|-----------------|-----------------|
| Varenr | 16320086 | 16320087 | 16320088 | 16320089 | | 16320098 | 16320099 | 16320100 | 16320101 |
| Elnr | 1703000 | 1703001 | 1703002 | 1703003 | | 1703012 | 1703013 | 1703014 | 1703015 |
| Bredde | 438 | 438 | 438 | 438 | | 479 | 479 | 479 | 479 |
| Høyde | 283 | 411 | 663 | 809 | | 961 | 1087 | 1213 | 1339 |
| Dybde | 110 / 80 | 110 / 80 | 110 / 80 | 110 / 80 | | 110 / 80 | 110 / 80 | 110 / 80 | 110 / 80 |

INNFELT



| Type | 1-rad 18 mod | 2-rad 36 mod | 3-rad 54mod | 4-rad 72mod | 4D IKT | | 2-rad 36mod IKT | 3-rad 54mod IKT | 4-rad 72mod IKT | 5-rad 90mod IKT | Bred 4-rad 48mod IKT | Bred 5-rad 60mod IKT |
|--------------|--------------|--------------|-------------|-------------|-------------|--|-----------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| Varenr | 16320090 | 16320091 | 16320092 | 16320093 | 16320166 | | 16320094 | 16320095 | 16320096 | 16320097 | 16320160 | 16320161 |
| Elnr | 1703004 | 1703005 | 1703006 | 1703007 | 1703058 | | 1703008 | 1703009 | 1703010 | 1703011 | 1703054 | 1703055 |
| BxHxD (utv) | 438x283x115 | 438x411x115 | 438x663x115 | 438x809x115 | 438x809x115 | | 479x961x115 | 479x1087x115 | 479x1213x115 | 479x1339x115 | 616x752x115 | 616x892x115 |
| BxHxD (innf) | 399x263x80 | 399x370x80 | 399x640x80 | 399x766x80 | 399x766x80 | | 454x928x80 | 454x1054x80 | 454x1180x80 | 454x1306x80 | 547x692x80 | 547x832x80 |

Demas Modulær

DEMAS a.s.

9311 Brøstadbotn
Telefon 77 18 91 00, www.demas.no

Prosjekt nr.

P15/0100

Målestokk

Tegn.nr.


P15/0100

Blad 1

N.bl. 2


Utg. Endring Dato Signatur Norm NEK400 Oppr. tegn. Erst. for Erst. av

PÅ VEGG



| Type | 1-rad 18 mod | 2-rad 36 mod | 3-rad 54mod | 4-rad 72mod | | 2-rad 36mod IKT | 3-rad 54mod IKT | 4-rad 72mod IKT | 5-rad 90mod IKT |
|--------|--------------|--------------|-------------|-------------|--|-----------------|-----------------|-----------------|-----------------|
| Varenr | 16320086 | 16320087 | 16320088 | 16320089 | | 16320098 | 16320099 | 16320100 | 16320101 |
| Elnr | 1703000 | 1703001 | 1703002 | 1703003 | | 1703012 | 1703013 | 1703014 | 1703015 |
| Bredde | 438 | 438 | 438 | 438 | | 479 | 479 | 479 | 479 |
| Høyde | 283 | 411 | 663 | 809 | | 961 | 1087 | 1213 | 1339 |
| Dybde | 110 / 80 | 110 / 80 | 110 / 80 | 110 / 80 | | 110 / 80 | 110 / 80 | 110 / 80 | 110 / 80 |

INNFELT



| Type | 1-rad 18 mod | 2-rad 36 mod | 3-rad 54mod | 4-rad 72mod | 4D IKT | | 2-rad 36mod IKT | 3-rad 54mod IKT | 4-rad 72mod IKT | 5-rad 90mod IKT | Bred 4-rad 48mod IKT | Bred 5-rad 60mod IKT |
|--------------|--------------|--------------|-------------|-------------|-------------|--|-----------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| Varenr | 16320090 | 16320091 | 16320092 | 16320093 | 16320166 | | 16320094 | 16320095 | 16320096 | 16320097 | 16320160 | 16320161 |
| Elnr | 1703004 | 1703005 | 1703006 | 1703007 | 1703058 | | 1703008 | 1703009 | 1703010 | 1703011 | 1703054 | 1703055 |
| BxHxD (utv) | 438x283x115 | 438x411x115 | 438x663x115 | 438x809x115 | 438x809x115 | | 479x961x115 | 479x1087x115 | 479x1213x115 | 479x1339x115 | 616x752x115 | 616x892x115 |
| BxHxD (innf) | 399x263x80 | 399x370x80 | 399x640x80 | 399x766x80 | 399x766x80 | | 454x928x80 | 454x1054x80 | 454x1180x80 | 454x1306x80 | 547x692x80 | 547x832x80 |

Demas Modulær

DEMAS a.s.

9311 Brøstadbotn
Telefon 77 18 91 00, www.demas.no

Prosjekt nr.

P15/0100

Målestokk

Tegn.nr.

P15/0100

Blad 2

N.bl. 3

Utg. Endring

Dato

Signatur

Norm


NEK400

Oppr. tegn.

Erst. for


Erst. av

PÅ VEGG



| Type | 1-rad 18 mod | 2-rad 36 mod | 3-rad 54mod | 4-rad 72mod | | 2-rad 36mod IKT | 3-rad 54mod IKT | 4-rad 72mod IKT | 5-rad 90mod IKT |
|--------|--------------|--------------|-------------|-------------|--|-----------------|-----------------|-----------------|-----------------|
| Varenr | 16320086 | 16320087 | 16320088 | 16320089 | | 16320098 | 16320099 | 16320100 | 16320101 |
| Elnr | 1703000 | 1703001 | 1703002 | 1703003 | | 1703012 | 1703013 | 1703014 | 1703015 |
| Bredde | 438 | 438 | 438 | 438 | | 479 | 479 | 479 | 479 |
| Høyde | 283 | 411 | 663 | 809 | | 961 | 1087 | 1213 | 1339 |
| Dybde | 110 / 80 | 110 / 80 | 110 / 80 | 110 / 80 | | 110 / 80 | 110 / 80 | 110 / 80 | 110 / 80 |

INNFELT



| Type | 1-rad 18 mod | 2-rad 36 mod | 3-rad 54mod | 4-rad 72mod | 4D IKT | | 2-rad 36mod IKT | 3-rad 54mod IKT | 4-rad 72mod IKT | 5-rad 90mod IKT | Bred 4-rad 48mod IKT | Bred 5-rad 60mod IKT |
|--------------|--------------|--------------|-------------|-------------|-------------|--|-----------------|-----------------|-----------------|-----------------|----------------------|----------------------|
| Varenr | 16320090 | 16320091 | 16320092 | 16320093 | 16320166 | | 16320094 | 16320095 | 16320096 | 16320097 | 16320160 | 16320161 |
| Elnr | 1703004 | 1703005 | 1703006 | 1703007 | 1703058 | | 1703008 | 1703009 | 1703010 | 1703011 | 1703054 | 1703055 |
| BxHxD (utv) | 438x283x115 | 438x411x115 | 438x663x115 | 438x809x115 | 438x809x115 | | 479x961x115 | 479x1087x115 | 479x1213x115 | 479x1339x115 | 616x752x115 | 616x892x115 |
| BxHxD (innf) | 399x263x80 | 399x370x80 | 399x640x80 | 399x766x80 | 399x766x80 | | 454x928x80 | 454x1054x80 | 454x1180x80 | 454x1306x80 | 547x692x80 | 547x832x80 |

Demas Modulær

DEMAS a.s.

9311 Brøstadbotn
Telefon 77 18 91 00, www.demas.no

Prosjekt nr.

P15/0100

Målestokk

Tegn.nr.

P15/0100

Blad 3

N.bl. 4

Utg. Endring Dato Signatur Norm NEK400 Oppr. tegn. Erst. for Erst. av

1

2

3

4


5

6



7

8



Detaljer innfelte skap





Hullsetting



| 1-rad 18 mod / 2-rad 36 mod / 3-rad 54mod / 4-rad 72mod | | | |
|---|----|------|---|
| TOPP | | | |
| 16mm | 13 | 32mm | 0 |
| 20mm | 2 | 40mm | 1 |
| 25m | 1 | 50mm | 1 |
| BUNN | | | |
| 16mm | 13 | 32mm | 0 |
| 20mm | 2 | 40mm | 1 |
| 25m | 1 | 50mm | 1 |



| 2-rad 36mod IKT / 3-rad 54mod IKT / 4-rad 72mod IKT / 5-rad 90mod IKT | | | |
|---|----|------|---|
| TOPP | | | |
| 16mm | 20 | 32mm | 0 |
| 20mm | 2 | 40mm | 0 |
| 25m | 1 | 50mm | 2 |
| BUNN | | | |
| 16mm | 14 | 32mm | 0 |
| 20mm | 2 | 40mm | 0 |
| 25m | 1 | 50mm | 3 |



| Bred 4-rad 48mod IKT / Bred 5-rad 60mod IKT | | | |
|---|----|------|---|
| TOPP | | | |
| 16mm | 16 | 32mm | 1 |
| 20mm | 8 | 40mm | 0 |
| 25m | 0 | 50mm | 2 |
| BUNN | | | |
| 16mm | 11 | 32mm | 0 |
| 20mm | 10 | 40mm | 0 |
| 25m | 2 | 50mm | 3 |

| | | | | | | | | | | | | | | | | | | | | |
|------|--|---------|--|------|----------|------|--------|-------------|--|--|-----------|----------|--|--|---------------------------------|--|--|--|-----------------|--|
| Utg. | | Endring | | Dato | Signatur | Norm | NEK400 | Oppr. tegn. | | | Erst. for | Erst. av | DEMAS a.s. 9311 Brøstadbotn Telefon 77 18 91 00, www.demas.no | | Prosjekt nr. P15/0100 | | Målestokk Tegn.nr. P15/0100 | | Blad 4 N.bl. | |
|------|--|---------|--|------|----------|------|--------|-------------|--|--|-----------|----------|--|--|---------------------------------|--|--|--|-----------------|--|